DAYGLO

DAYCHROME - SCARLET CHROME DS-41

Full Tone Reduction 1:10

DAYCHROME DS-41 is a Molybdate Orange pigment and is also popularly known as Scarlet Chrome. Our Scarlet Chrome S-41 is a product with yellower tone. It is highly stabilized and offers very good resistance to light and weather.

This product is used in the manufacture of synthetic enamels and is highly recommended for Liquid Inks. Suitable quality is also being supplied for Plastic Master Batches in this grade.

	TECHNICAL DATA								
	Colour Index No.	77605	RESISTANCE TO LIGHT						
ı	Colour Index Pigment No.	R-104	Full Tone	5					
ı	Oil Absorption	14-20	Tint Tone (1:10)	5					
ı	Specific Gravity	5.2-6.0	RESISTANCE TO						
	Bulk Density g/cc	1.33	Acid	F					
ı	BLEEDING IN		Alkali						
ı	Water	5	APPLICATIONS						
ı	5% Caustic Soda	3	Paints	*					
ı	5% Hydrochloric Acid	3	Printing Inks	*					
ı	Linseed Oil	5	Rubber						
ı	Ethanol	5	Leather Pastes	*					
ı	Ethyl Acetate	5	Linoleum	*					
ı	Xylene	5	PVC Leather Cloth	*					
ı	n-Butanol	5	Paper Coating	*					
ı	Methyl Ethyl Ketone	5	Chalk / Crayons						
ı	Mineral Turpentine	5	Plastics	*					
ı	Cellosolve	5							
ı	Dioctyl Phthalate	5							
ı	RESISTANCE TO HE	EAT							
ı	120 C / 30 min.	SB							
ı	150 C / 20 min.	SB							
	180 C / 10 min.	USB							
	210 C / 10 min.	USB							
		I	EGEND						

COLOUR	BLEEDING	HEAT STABILITY	LIGHTFASTNESS	S APPLICATIONS	E-EXCELLENT
Y - YELLOW	SCALE (1-5)	SB : STABLE	SCALE (1-8)	* - RECOMMENDED	VG - VERY GOOD
R - RED	5:NO BLEED	USB : UNSTABLE	1 - POOR	/MAYBE USED	${f G}$ - ${f GOOD}$
W - WHITE	1:CONSIDERABLE BLEED		8 - EXCELLENT		F - FAIR
					\mathbf{p} $\mathbf{p} \circ \circ \mathbf{p}$

P - POOR